

# SOUTHDAL PEDIATRICS IMMUNIZATION SCHEDULE

VACCINE	BIRTH/ 2 WK	2 MONTHS	4 MONTHS	6 MONTHS	9 MONTHS	12 MONTHS	15 MONTHS	18 MO- 2 YEARS	4-6 YEARS			
Hepatitis B (Hep B)	Hep B #1	Hep B #2	Hep B #3	Hep B #4								
RSV preventive antibody	Give 1 dose to newborns and infants aged <8 months during or entering their first RSV season.											
Rotavirus (RV)		RV #1	RV #2	RV #3								
Haemophilus influenzae type b (Hib)		Hib #1	Hib #2	Hib #3			Hib #4					
Diphtheria-Tetanus-Pertussis (DTaP)		DTaP #1	DTaP #2	DTaP #3			DTaP #4		DTaP #5			
Inactivated Poliovirus (IPV)		IPV #1	IPV #2	IPV #3			IPV #4		IPV #5			
Pneumococcal conjugate (PCV)		PCV #1	PCV #2	PCV #3		PCV #4						
Hepatitis A (Hep A)						Hep A #1		Hep A #2				
Varicella						Varicella #1			Varicella #2			
Measles, Mumps, Rubella (MMR)						MMR #1			MMR #2			
COVID-19				6 months through 4 YEARS					5 -11 YEARS		12+ YEARS	
				• If not previously vaccinated or history is unknown, two 0.25mL doses at least 4 weeks apart. • If previously vaccinated, one 0.25mL shot of 2023-24 vaccine.					One 0.25mL dose of 2023-24 vaccine.		One 0.5mL dose of 2023-24 vaccine.	
									9-10 YEARS	11-12 YEARS	16+ YEARS	
Influenza				6 months through 8 YEARS					Annual flu shot			
				• If not previously vaccinated or history is unknown, 2 doses at least 4 weeks apart. • If previously vaccinated, give one dose each year.								
Human Papillomavirus (HPV)									HPV series			
Tetanus, diphtheria, pertussis (Tdap)									Tdap	Tdap/Td booster every 10 years		
Meningococcal (MCV4)									MCV4 #1	MCV4 #2		
Meningococcal Group B (MenB)											MenB 2-dose series is recommended based on shared clinical decision-making.	